










<p>TECHNISCHE GEGEVENS</p> <p>PRODUCT-INFORMATION</p> <p>TECHNISCHE DATEN</p>	 <p>DESIGN MATERIALS, INC (800) 654-6451 f. (913) 342-9826 e. info@dmifloors.com www.dmifloors.com</p>
<p>Kwaliteitsnaam Qualityname Qualitätsname</p>	<p>Genova</p>
<p>Productie methode Type of manufacture Herstellungsart</p>	<p>Geweven Woven Geweht</p>
<p>Deling Gauge Teilung</p>	<p>Riet 13 Reed 13 Riet 13</p>
<p>Kwaliteitsbeschrijving Quality description Oberseitengestaltung</p>	<p>Lussenpool Looppile Schlinge</p>
<p>Poolmateriaal Pilematerial Nutzschicht</p>	<p>100% Scheerwol 100% New Wool 100% Schurwolle</p>
<p>Ketting Warp Kette</p>	<p>Jute</p>
<p>Inslag Weft Schuss</p>	<p>Jute</p>
<p>Rug Secondary backing Rückenbeschichtung</p>	<p>Bio - Jute</p>
<p>Poolhoogte Pileheight Polhöhe</p>	<p>5 mm</p>
<p>Totaal hoogte Total thickness Gesamthöhe</p>	<p>9 mm</p>
<p>Poolgewicht Pileweight Polgewicht</p>	<p>1300 g/m²</p>
<p>Totaal gewicht Total weight Gesamttgewicht</p>	<p>2800 g/m²</p>
<p>Breedte Width Breite</p>	<p>400 cm</p>

Quality: GENOVA

Lichtechtheid Colourfastness to light Lichtechtheit	ISO 105 B02	6	
Waterechtheid Colourfastness to water Wasserechtheit	ISO 105 E01	4	
Wrijfechtheid Colourfastness to rubbing Reibecktheit	ISO 105 X12	Droog / Dry / Trocken 4,5	Nat / Wet / Nass 4
Watervlekkenechtheid Water stains fastness Wasserfleckenechtheit	EN 1307, annex G	5	

Toepassing / Classification / Eignungsbereich			
Toepassing Classification Eichnungsbereich	EN 1307	22+ General extended domestic use 31 Moderate commercial use	
Trap Stairs Treppe	EN 1963 , B		
Rolstoelvast Castor chair resistance Stuhlrollen	EN 985	Aanbeveling : Vloermat Recommendation : Floormat Empfehlung : Fussbodenmatte	
Anti statisch Anti static Anti Statisch	ISO 6356		
Vlamwerend Flammability Brennklasse	ISO 11925-2 ISO 9239-1	Class Cf1 Class S1	
Comfort Comfort Komfort	EN 1307		
Prodis / GUT	GUT nummer. : 24730		

EN 14041	  
Beschermt tegen wol bederf Gegen Wollschädliche Geschützt Protected against wool pests	

Op alle specificaties zijn normale handelstoleranties van toepassing.
All specifications are subject to normal commercial tolerances. Alle Spezifikationen unterliegen normalen Handelstoleranzen.